

With prerequisites that include a competitive bid, ability to incorporate new technology and, often, guarantees on deadlines and budgets, EPCM firms face varied and extreme pressures from their mining clients. Dan Gleeson looks for their coping mechanisms

krrii EPCM tti it ti r. ,ttk ti А r trit tti ti rik rr t i r tr t t it i iti ritt t it rjt rr it t t.

itit ti, tititt tir-trtrii. i.

tttt Ν , it tit t i ri r i, t ti, tr ti r t ki t t i R Ky P Mii t Stantec, t IM. iitri. r t t rti t tr t t ii i ti . Ntit t irtirii i r 1 irzirit t t iŗ, i Prit i r, DRA Global Oriiti,Crit_yi'r, i G i 2020 r t iitt rt tttit t r t r it.

l 2020,t i r it t rirititt trkt CQ, ID-19 i, t *IM*.Diititi r t i iti ti rt i rriit ii;tii rjt t, trti, t, ii riti. ikk , H G Mii Mt t J

AFRY Process Industries it r t Ρr t 2019 rr F it titritit tr r i ritit tr. Ιt riitt,t iit rittri trrit i iiit t ri i r r ti i t t r r rt i t t

, i.Frriittrjt, Itr4.or rttri itirt iittrrti t.

Technology-agnostic value

Ait i jr ti trittt rkitiii, ritRk. Oritttttr ttrttirttrt

tirt tr trttit itit rt ri. H tri rtrirti, itittrik, itr Wood's design for IAMGold's majority-owned Côté project included layout work to develop the Autonomous Operating Zones (AOZ) and operational interfaces; communication networks for AOZ; interface management with facilities for AOZ; design layouts including AOZ requirements; and calculating the costing benefits of autonomous hauling (photo: IAMGold)

i rtrir tt irtr ii EPCM rir ri i i tr rri iir r rti i i ir t. ltirtri it OEM trii ri i i EPCM rirtt ti it i ii t i Wood'Prit Mii Mir,D i ir rki . it i r t rirt ir tit, i iitti ri t i it rti irt tt i tt ti tr i rit t iiti rit rjtr tk iti ti tr k ritti - itri ti Otri, C. i rlAMG jrit-Ctrjti trkt t At 0 rti (AO) rtiitr; itit rkr AO;itr titi iiti rAO; i ti i AOrir t; ti it ti t t ,L ί. F ri r t ti i rti i t rk it rri t ri R iiit t rt r ri -irrjt,iCi, ri ttk t t ti r i t t trk t ti. ri DRA kt rt r it OEM, i r

it OEM t ti rt t i r.

ritt t r ritrti, i.l, rirti it t t rrrtrti, it rtri rtri it At k.i rtri tt At k.3D i ti ii rjt.

tt ktrkititrt ititrtitri t rrjtir,Rk, riitt iiitrit.

Lik t t A t kti-,Hatchr t B t t t i i ti t i t,it i t i t t i ri i t ri t t t D r ti

t ririr, iiit rtitiritit. DRA rirjt t iri tOEM rrtrr ttitititit - ti ttit, i.r rtii, r, ri trtirk ttrt ii ritit iri rt ti itiii tr, tti, tiriri i it t rit, ti t ti, rtit t t ti, rtit t i rit, t EPCM rirt tr OEM kit titiiri,

'ttRkt rtii